

## CUD Digital Repository

The full text of this article is not available in the CUD Digital Repository due to publisher restrictions.

### HOW TO GET A COPY OF THIS ARTICLE:

CUD Students, Faculty, and Staff may obtain a copy of this article through this [link](#).

Title (Article)	Risk factors for diagnosis of escherichia coli infection after flexible ureteroscope holmium laser lithotripsy by imaging information technology under nomogram mathematical model
Author(s)	Zhang, Yuelong Zhang, Qi Lv, Jia Zhang, Dahong Kaddouri, Meriem Al Dulaimi, Saeed Hameed Kurdi
Journal Title	<i>Results in Physics</i>
Citation	Zhang, Y., Zhang, Q., Lv, J., Zhang, D., Kaddouri, M., & Al Dulaimi, S. H. K. (2021). Risk factors for diagnosis of escherichia coli infection after flexible ureteroscope holmium laser lithotripsy by imaging information technology under nomogram mathematical model. <i>Results in Physics</i> , 25. <a href="https://doi.org/10.1016/j.rinp.2021.104330">https://doi.org/10.1016/j.rinp.2021.104330</a>
Link to Publisher Website	<a href="https://doi.org/10.1016/j.rinp.2021.104330">https://doi.org/10.1016/j.rinp.2021.104330</a>
Link to CUD Digital Repository	<a href="#">CUD Digital Repository</a>
Date added to CUD Digital Repository	July 13, 2021
Copyright	© 2021 The Authors